

INFORMATION	
Number of users	9
Age range	1 - 14
Device dimensions [m]	4.75 x 1.85 x 2.63
Compliance with the norm	PN-EN 1176-1+A1:2024-03
Max height of fall [m]	1
Perimeter of safety zone [m]	29
Area [m ²]	21



Material Description:



- Round load-bearing posts with a diameter of 120 mm made of laminated wood with longitudinal grooves;
- Platforms made of anti-slip plywood with a thickness of 18 mm, mounted on a metal frame;
- Panels made of high-pressure HDPE polyethylene, 15 mm and 19 mm thick;
- Slides with a stainless steel glide, 1.5mm thick, and elements made of high-pressure HDPE polyethylene, 15mm thick. The glide structure is reinforced with U-profiles, and an additional seal was applied to dampen noise and reduce vibrations;
- Porthole made of polycarbonate;
- Polypropylene ropes with a diameter of 16 mm, reinforced with a steel core;
- Steel elements protected against corrosion through galvanization and powder coating;
- All connectors and fittings are weather-resistant and UV-resistant;
- Posts mounted on galvanized steel anchors that isolate the wood from the ground. Anchored below ground level. Foundation according to the installation instructions;

Set Composition:

- 2 x triangular platforms measuring 82x71 cm at a height of 58 cm
- 1 x slide 58 cm
- 1 x entrance ramp 58 cm
- 1 x gymnastic bar
- 1 x flower weave
- 1 x strap bridge
- 1 x monkey panel
- 1 x tree
- 1 x narrowing
- 1 x porthole

Series Description:

The Orbis collection offers comprehensive playground solutions for toddlers and older children. This is a traditional collection and one of NOVUM's first. The round posts give it a light and airy feel, and the wide range of available equipment ensures it meets the expectations of even the most demanding users.



SAFETY SURFACE

Zone	Max height of fall [m]	Area [m ²]	Perimeter of safety zone [m]
A	1	29	21
B	-	-	
C	-	-	

The visualizations are for illustrative purposes only; the actual appearance and colors of the equipment may vary. Novum reserves the right to make structural and color modifications as part of its commitment to continuous product improvement.

