



PL	INSTRUKCJA MONTAŻU	Nazwa	Diament obrotowy	Nr kat.	4313
ENG	ASSEMBLY INSTRUCTIONS	Product		Cat. no.	
DEU	MONTAGEANLEITUNG	Name		Art.-Nr.	
FRA	INSTRUCTIONS D'INSTALLATION	Catégorie		Référence.	


4313







Bezpieczna nawierzchnia / Safe surface / Safe Oberfläche / Surface sûre


Strefa Zone Zone Zone	Max. wysokość upadku Max. fall height Max. Fallhöhe Max. hauteur de chute	Pole powierzchni Surface area Fläche Surface	Obwód strefy bezpiecz. Perimeter security zone Umkreis der Fallschutzfläche Zone de périmètre de sé.
A	1,27 m	18,50 m ²	15,00 m
B	-	-	
C	-	-	



Masa
Mass
Masse
Masse

134 kg





13	4	Cover	Zaślepka 20				
12	48	washer	DIN 125 - A 8,4				
11	24	Nut cup	DIN 1587 - M8				
10	24	screw	DIN 7984 - M8 x 30				
9	2	round washer	ISO 7089 - 16 - 140 HV				
8	2	Screw	Śruba M16x50 PN-85/M-82101				
7	1	Plug 159	Zaślepka 159				
6	1	Line part	4300_1_01				
5	1	Rim	R_42,4_2_5498_01				
4	1	Diamond Rigging top	4303_004_01				
3	1	Diamond Rigging center	4303_003_01				
2	1	Diamond Rigging lower	4303_002_01				
1	1	Diamond rotating column	4313_001_01				
Lp. Art. Nr.	No. Rep.	Ilość Anzahl	Quantity Nombre	Nazwa części Teilename	Part name Nom de la pièce	Nr części Teile-Nr	Part No. Partie No.

