Product Manual

EN



290600

Fono

Interactive DJ booth

November 2024

© Lappset Group Ltd 2024. All rights reserved.

LAPPSET®

Table of contents

What is Lappset Memo?	3
General specifications	4
First steps + DJ table	6
Sound	7
Lappset Dashboard	8
Lappset Connect	9
Compliance information	10
Technical information	13

Download Installation Manual

Visit the website:
http://www.info.lappset.com



What is Lappset Fono?

Interactive DJ booth

Fono is the world's first outdoor DJ booth where you can play your own music by placing your phone on sound-amplifying pads. This transforms public spaces, skate parks, fitness zones, and resorts into fun hangout spots. Fono offers an interactive experience where you can DJ or dance with friends, catering to young music lovers. It plays the latest hits directly from your smartphone, allowing aspiring DJs to mix and edit like pros. With classic sound effects for added flair, Fono ensures anyone can showcase their musical identity.



Key features:


- Pro Mixing: DJ-designed with inward-facing speakers.
- Versatile Mixing: Amplifying pads for phones with Filter, Loop, Scratch, Delay, and Crossfader.
- Social Spot: Gathering place for socializing and creativity.
- Adaptable: Suitable for skate parks, fitness areas, schools, and train stations.



General specifications


Components

Wood version 290600



General dimensions


Wood version



General specifications


Components

HPL version 290602





General dimensions

HPL version









First steps + DJ table


1 SET IT UP

Once Fono is powered.

Rotate one disc.

2 FONO DJ TABLE

Touch sensitive control.






Turn your phone into a powerful DJ tool and let your creativity flow



3 DJ TABLE INSTRUCTIONS



1 Sound-amplifying pads

Place your device on the pad with the speaker on the circle. Make sure both volumes are high and the crossfader is set correctly.

2 Volume

Use volume buttons for each channel.
More LEDs = higher volume.

3 Crossfader

Mix channels. Center plays both;
slide left/right for individual channels.

4 Effects & Discs

- **Filter**: Adjust frequency.
- **Delay**: Add echo.
- **Flanger**: Shift frequency.
- **Crush**: Add robotic effect.
- **Scratch**: Quick move for scratch, slow for tempo.
- **Pitch**: Rotate for higher/lower sound.

5 Spinning disc

6 Disc

7 Mobile / Loop buttons

Use these buttons to switch between mobile and loop modes. Press MOBILE for live music or LOOP to activate loop functions.

8 Loop mode

- **REC**: Record a loop (10s max).
- **Play**: Play/pause loop.
- **Cut**: Shorten loop (up to 1/16).
- **Tempo**: Adjust loop speed.

9 Headphones

Plug in and slide to control channel audio.


First steps + DJ table

Sound distribution

When using the Fono, it produces sound. You can adjust the sound level and on/off times. The minimum sound level of the Fono is approximately 60 decibels (dB), similar to a normal conversation. The maximum sound level is around 95 dB, comparable to a high-volume stereo.

To minimize noise disturbance, we recommend adjusting the sound volume so that it's not audible at the nearest residence. As a general guideline, we suggest keeping the Fono at least 50 meters (164 feet) away from the nearest home.

To prevent sound from traveling far, the Fono's design incorporates concrete sides that focus the sound primarily on the DJ and the nearby audience.



Indication of the Fono sound levels, when Fono volume is set at 71dB(A)

Lappset Dashboard

Platform for owners

Control your devices online

You can manage your own device(s).

Go to *http://www.dashboard.lappset.com* and click 'login'.

Log in with your user name and password, which is sent after signing the service agreement.

SCAN THE QR CODE

Manage your settings online

Or visit the website:
http://dashboard.lappset.com

UNIFIED PRODUCT CONTROL

Sona | Fono | Memo | Sutu

WHAT CAN YOU DO?

Control

Volume | Games | On/Off | Language | Light

Review statistics

User control | Popular games | Track playtime

Submit issue report

Our system detects issues and notifies you immediately.

Or create and send your own report.

More information and features can be found on the landing page of http://www.dashboard.lappset.com

TIME / VOLUME

Set daily schedule Volume 7

Mon From 08:00 To 22:00

Advanced settings

00:00 — 24:00

Mon 7

Tue 6

Wed 7 5

INSTALL AND ACTIVATE GAMES

Monster | Runtime | Result Race



Lappset Connect

App for players

Unlock new posibilities

Enable interactives users to browse all available games, choose their favorites, and share their scores with friends

SCAN THE QR CODE


And control how you play

Or visit the website:
https://connect.lappset.com

DISCOVER ALL GAMES

Stand close to the interactive playset and open the app by scanning the QR code.

Sona Luna Memo Fono Sutu Toro



UNLOCK NEW GAMEPLAY OPTIONS

Find the nearest device
and dive into gameplay instantly

Discover all games
with our updated suggestions

Claim your score
and share it with your friends



Compliance information

USA

Regulatory Information USA

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Permitted Antenna

This radio transmitter has been approved by the FCC to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Interface and frecuency rate:

4G cellular in band II and IV

Type:

- MCS 108181 / 108182 - AEB260 GSM Dipole Patch Antenna.
- Siretta Tango 27 IP67 Rated Quad Band GSM/GPRS and 3G Puck Antenna

Max gain:

- 2 dBi
- 2,16 dBi

RF exposure safety

This device complies with FCC RF exposure limits and has been evaluated in compliance with mobile exposure conditions.

The antenna must be installed and operated with minimum distance of 20 cm between the radiator and your body.

Class B device notice

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device,

pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection

against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged

to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

Compliance information

Canada

Regulatory Information Canada

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with ISED license-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Permitted Antenna

This radio transmitter has been approved by the FCC to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Interface and frecuency rate:

4G cellular in band II and IV

Type:

- MCS 108181 / 108182 - AEB260 GSM Dipole Patch Antenna.
- Siretta Tango 27 IP67 Rated Quad Band GSM/GPRS and 3G Puck Antenna

Max gain:

- 2 dBi
- 2,16 dBi

RF exposure safety

This device complies with ISED RF exposure limits and has been evaluated in compliance with mobile exposure conditions.

CAN ICES-003 (B)

This Class B digital apparatus complies with Canadian ICES-003

Compliance information

47 CFR § 2.1077 Compliance Information.
Supplier's Declaration of Conformity

FCC ID: 2ARQX-YALP
IC: 24514-YALP

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
We, **Lappset Interactive**, hereby declare that the equipment bearing the model name specified below was tested conforming to the applicable FCC Rules under the most accurate measurement standards possible, and that all the necessary steps have been taken and are in force to assure that production units of the same equipment will continue to comply with the Commissions requirements.

Unique Identifier: SUTU, TORO, MEMO, SONA LUNA AND SOLAR

Responsible Party – U.S. Contact Information:

Lappset Inc.
401 Congress Ave
Suite 1540
Austin TX 78701 US
(512) 852-3050

In case of problems with your Lappset interactive product, please go to

https://dashboard.lappset.com

Login and make create a ‘new ticket’ under ‘product care’.

Or contact our service deparment:
+31 (0)547 289 410
Monday - Friday
08:15 -17:00 CET
support@lappset.nl

Warranty
To check applicable warranty documents, see https://www.dashboard.lappset.com
And click on downloads at the bottom of the page.

RECOMMENDATIONS

Adjust the volume to avoid disturbing nearby residences, but not too low to affect gameplay, especially for games like dancing. Consider changing noise levels throughout the day and ensuring the volume remains audible, or use advanced time and audio settings for better control.

Regular cleaning is essential to maintain optimal performance and uphold the product warranty.

WARNING

Do not attempt to repair a defect without Lappset's authorization.

Only use Lappset original parts to maintain safety and certification.

Technical information

General information.

Installed Fono (L x W x H)	3054x2636x2530mm	120.2x103.8x99.6”
Transport Pallet dimensions (L x W x H) Weight (total package)	 2254x764x1630mm 1650kg	 88.7x30.1x64.2” 3638lbs
Electronics Input Output	 100-240 V ~. 50/ 60 Hz. 150W max 12 V DC	
Internet connection	4G modem with data SIM card	
Energy use In use (average) In idle mode (standby) In sleep mode	 20 W 9 W 2 W	
Operating temperature*	-20 to +40 °C (-4 to +104 °F).	
Operating altitude	>2000m	>6562 ft
Protection class	IP54	

LAPPSET

Movement for every heartbeat

+31 (0)547 289 410

support@lappset.nl

www.lappset.com

Lappset Interactive

Nieuwenkampsmaten 12

7472 DE Goor. The Netherlads

© Lappset Group Ltd 2024. All rights reserved.

Version 2.0