



①	913393 + 711272	PCS 1	②	902232	PCS 12
					
	45x1100x2600			M10x55	
③	909638	PCS 12	④	905083	PCS 12
					
	Ø20/10.5			Ø32	
④	980154	PCS 8	⑥	909214	PCS 8
					
	Ø24/13			M12x50	
		PCS	⑧	907949	PCS 4
					
				M12	
		PCS			PCS
		PCS			PCS
		PCS			PCS


DET 1

In the upper part of the frame is artificial turf (A). Make holes through the turf for the fixing bolts.



DET 2


Adjustable section. Make the correct distances for the bolts.



DET 3

10mm holes


12mm holes




12mm holes

DET 4


Adjustable end.



DET 5




ATT !




Do not tighten the bolts until you have found the correct distance for the bench from the product.
(081860, 081861, 081864, 081865)


081860 positioning




081861 positioning




081862 positioning




081863 positioning




081864 positioning




081865 positioning




081866 positioning





081867 positioning



081868 positioning



081880–081882 positioning



WHEN MOVING THE PRODUCT, KEEP IT IN UPRIGHT POSITION. MOVE THE PRODUCT NEXT TO ASSEMBLY SPOT . DO NOT LIFT FROM THE PRODUCT, BUT YOU SHOULD SUPPORT IT WITH OTHER BELTS (A). USE LIFTING EYES (B). REMOVE LIFTING EYES AFTER THE ASSEMBLY AND PLUG THE APPEARING HOLES.

PIDÄ TUOTE PYSTYASENNOSSA SIIRRETTÄESSÄ. SIIRRÄ TUOTE ASENNUSKOHDAN VIEREEN. ÄLÄ NOSTA TUOTTEESTA , MUTTA VOIT TUKEA SITÄ TOISELLA REMMILLÄ (A). KÄYTÄ NOSTOSILMUKOITA (B). POISTA NOSTOSILMUKAT ASENNUKSEN JÄLKEEN JA TULPPAA REIÄT.