











LAPPSET®

PARKOUR

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 23.2.2015

220523




DATE: 23.2.2015

[illegible]



EN Impact Area 45.4 m2 (489 sq ft)


Grid Size 1000⁺ mm (40⁺" in)

1:50

[illegible]

—— EN Impact Area 45.4 m² (489 sq ft)
 ---- Falling Space 45,4 m² (489 sq ft)
 Max Falling Height 2530 mm (8'-3 3/4" in)








2530 mm
[8'-3 3/4" inch]



1740 mm
[5'-8 3/4" inch]

960 mm
[3'-1 3/4" inch]



0 mm
[0" inch]









DATE: 23.2.2015







DATE: 23.2.2015

1:50


A




B





C








D






Max Falling Height 2530 mm







① 703645	PCS	② 909519	PCS
	1		1
		380x380	
③ 909638	PCS	④ 909639	PCS
	4		4
Ø20/10.5		M10x25	
⑤ 702341	PCS	⑥ 909637	PCS
	1		4
		M10	
	PCS		PCS
	PCS		PCS
	PCS		PCS



----- Falling Space 9.3 m2 (100 sq ft)
Max Falling Height 540 mm (1'-9" in)



		① 702341 90x50	PCS 1	② 704599 90x50	PCS 1
		③ 902134 	PCS 2	④ 902157 60x60x2	PCS 8
		⑤ 902424 L 1034	PCS 1	⑥ 904130 L 2148	PCS 2
		⑦ 902124 150x50x50	PCS 12	⑧ 980161 M10	PCS 12
		⑨ 902232 M10x55	PCS 6	⑩ 902233 M10x30	PCS 6
		⑪ 704829 15x913x993	PCS 1	⑬ 909855 M8x35	PCS 8
		⑭ 909256 Ø16/8.4x1.6	PCS 8	⑮ 909633 M8	PCS 8
		⑯ 909873 M8x40	PCS 8	⑰ 704855-704866 NOT INCLUDED 8x560x640	PCS 1








LAPPSET


PARKOUR





220590

DATE: 24.5.2018


2(2)

DET 1  RIBBED BAR Ø8x300	DET 2  Concrete 500x500x200 R100 400 5	DET 3  M10x55 M10 902124 M10x30
DET 4  M10x55 M10x30 902124 M10	DET 5  NOTE: Various signs. HUOM: Useita erilaisia kylttejä. M8x35 (909855) Ø16/8.4x1.6 (909256) M8 (909633)	 NOTE: Use a wire marked pairs of the same junction. Huom! Käytä langalla merkittyä paria samassa liitoksessa.
OPTIONAL  Ø16/8.4x1.6 (909256) M8x40 (909873) M8 (909633)		



① 701985	PCS	② 702341	PCS
	1		1
		90x50	
③ 902134	PCS	④ 904747	PCS
	1		4
		60x60x2	
⑤ 902424	PCS		PCS
	1		
L 1034			
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS

PARTS
DET 17,19,20



BASE
DET 25,27


240 mm
[9" inch]




170 mm
[7" inch]


0 mm
[0" inch]





400 mm
[1'-4" inch]






Falling Space 11.9 m2 (128.4 sq ft)
Max Falling Height 170mm (7" in)





① 701985	PCS	② 702341	PCS
	2		1
		90x50	
③ 902134	PCS	④ 904747	PCS
	2		8
		60x60x2	
⑤ 902424	PCS		PCS
	1		
L 1034			
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS



① 703644	PCS	② 909519	PCS
	1		1
		380x380	
③ 909638	PCS	④ 909639	PCS
	4		4
Ø20/10.5		M10x25	
⑤ 702341	PCS	⑥ 909637	PCS
	1		4
LARPELT Group Ltd 100700 FM 19000 DEWENH FINLAND Rev: 023435 Date of: 15/07/09 Issued by: J. Järvi Date of release: 1. June 2007 Material: EN167-130004 TDV		M10	
	PCS		PCS
	PCS		PCS
	PCS		PCS



----- Falling Space 9.3 m2 (100 sq ft)
Max Falling Height 540 mm (1'-9" in)




LAPPSET®

PARKOUR










ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 20.2.2015

220510





DATE: 20.2.2015



701985 	PCS 8	702341  90x50	PCS 1	902134 	PCS 20	904747  60x60x2	PCS 62	902418 	PCS 4	902424  L 1034	PCS 8
904015  Ø44.5x1034	PCS 2	904100  44.5–60.3	PCS 4	904103  Ø44.5x1073	PCS 4	904132  L 402	PCS 8	904133  M10x80	PCS 8	904134  L 2148	PCS 2
904158  Ø18/10.5	PCS 8		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS



EN/AS Impact Area 31.9 m² (344 sq ft)



Grid Size 1000 mm (40" in)







EN/AS Impact Area 31.9 m² (344 sq ft)
Falling Space Area 31.9 m² (344 sq ft)
Max Falling Height 1760 mm (5'-9 1/4" in)












① 701985	PCS	② 702341	PCS
	3		1
③ 902134	PCS	④ 902157	PCS
	6		23
⑤ 902424	PCS	⑥ 904130	PCS
	1		1
⑦ 904132	PCS		PCS
	3		
	PCS		PCS
	PCS		PCS
	PCS		PCS

EN Impact Area 16.9 m2 (182 sq ft)

Max Falling Height 650 mm (2'-2" in)




LAPPSET®

PARKOUR








ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 23.2.2015



220531





DATE: 23.2.2015



702341	PCS	703456	PCS	703459	PCS	703638	PCS	703640	PCS	902134	PCS
	1		2		1		1		3		8
90x50											
904747	PCS	902424	PCS		PCS		PCS		PCS		PCS
	20		12								
60x60x2		L 1034									
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS



EN/AS Impact Area 17.8 m² (192 sq ft)
Falling Space Area 17.8 m² (192 sq ft)
Grid size = 500 mm (20" in)





EN Impact Area 17.8 m² (192 sq ft)
Falling Space Area 17.8 m² (192 sq ft)
Max Falling Height 2190 mm (7'-2" in)








Max Falling Height 2190 mm




DATE: 18.8.2011

Syväperustus



Pintaperustus




Syväperustus

1. Kaivetaan 400mm syvä kaivanto pinnan korosta. Jotkin välineet tarvitsevat syvemmän kaivannon (katso tuotteiden asennusohjeet).
Huom! Kantava ja suora perustusten pohja.
2. Asennetaan välineet.
3. Valetaan betonit. Jotkin välineet voivat vaatia isomman valun, katso yksittäisten tuotteiden asennusohjeet.
4. Täytetään 0-32 oikeaan korkoon.
5. Tiivistetään täyttö.
6. Täytetään kivituhkalla (0-8) n.30mm kerros jonka jälkeen tasoitetaan ja tiivistetään hyvin.(+/-10mm/4m oikolauta)
7. Tämän jälkeen asennetaan nurmi (katso asennusohje).

Pintaperustus

1. Kaivetaan 170mm syvä kaivanto pinnan korosta.
Huom! Kantava ja suora perustusten pohja.
2. Valetaan betonilaatta (min. 100mm paksu). Koko riippuu kentän koosta (S,M,L).
3. Asennetaan välineet.
4. Asennetaan joustopalat ohjeen mukaisesti (katso asennusohje).
5. Tämän jälkeen asennetaan nurmi (katso asennusohje).

DATE: 18.8.2011









Deep mounting

1. Start by digging 400 mm deep excavation. Some equipment may need more depth, see assembly instructions for individual equipment.
2. Assemble the equipment according to assembly instructions.
3. Make concrete blocks. Some equipment may need bigger block, see assembly instructions.
4. Fill with 0-32 grit to correct level.
5. Compact the layer.
6. Spread 30 mm thick layer using grit 0-8 gravel. Compact and level it thoroughly. (+/-10mm/4m)
7. Assemble the safety base according to assembly instructions.
8. Assemble the turf according to assembly instructions.


NOTE: Also the soil below the starting level (-400) needs to be solid and compact.

Surface mounting


1. Start by digging 170 mm deep excavation.
2. Make concrete plate, see illustration (min. 100mm thick). Size depends on the size of the Parkour field (S,M,L).
3. Assemble the equipment according to assembly instructions.
4. Assemble the safety base according to assembly instructions.
5. Assemble the turf according to assembly instructions.


		
h < 600 Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
h < 600 With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
h < 1000	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 $\underline{S}$ 30 cm $\underline{h}$ < 2,0 m $\underline{S}$ 40 cm $\underline{h}$ < 3,0 m
	Syntethic granulates $\underline{S}$ 40 mm ~> 1,2...1,3 m $\underline{S}$ 50 mm ~> 1,5...1,7 m $\underline{S}$ 60 mm ~> 1,8...2,0 m $\underline{S}$ 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	

REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION



REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION







Security plugs are included only for selected products.


Hox!
Pultit on kiristettävä lopulliseen kireyteen, ennen turvapinnien asennusta.

Note!
Tighten bolts properly, before installing security plugs.



DET 1 Ø8 ↓ 90 (4x) 90 100 Concrete / Betoni	DET 2 Ø10x100 Ø24/13	DET 3 260 S
DET 4 Betoni / Concrete 700 400 500x500 Harjateräs / Ribbed bar (A500HW (2x))	DET 5 420 S 500	DET 6 420 S 500
DET 7 S 420	DET 8 S 420	DET 9 S 420
DET 10 550 S Concrete 600x600x250	DET 11 M10 Ø20/10.5 M10x25	DET 12 Ø25 105 32 53 85 53

DET 13




DET 14




DET 15




DET 16




DET 17




DET 18




DET 19




DET 20




DET 21




DET 22




DET 23




DET 24




DET 25




DET 26




DET 27




DET 28




DET 29




DET 30




DET 31




DET 32




DET 33



DET 34




DET 35




DET 36

DET 1




DET 2




DET 3


DET 4




DET 5




DET 6




DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14




DET 15




DET 16




DET 17




DET 18




DET 19




DET 20



DET 21




DET 22



DET 23



DET 24



DET 25-26

M12x120

904100


904015

904102

Kun putken pää osuu adapterin kynsiin, adapteri tiukentuu paikoilleen.

Asennusjärjestys:

- 1) Pallo kiinni
- 2) Adapteri sisään
- 3) putki sisään ja lopuksi pallon lopullinen kiristys.



Installation order:


- 1) Close the ball
- 2) Insert adapter
- 3) Insert tube and tighten screws.

DET 27

904103

Ø18/10

M10x80



DET 28

906621

M12x35
(909347)


M12

906620


Ø24/13

M12x30
(903149)

M12 → 60 Nm



DET 29



M10x50 (905140)

Ø20/10.5x2 (901302)

M10 (909637)


DET 30

M10x35 (902252)

19x21x25 (903193)

Ø20/10.5x2 (901302)

M10 (909637)



DET 31

M12 → 60 Nm


M12x30

Ø24/13

M10 → 45 Nm

M12

904422



DET 32


M12 → 60 Nm

M12x100

Ø24/13

M12

904422



DET 33


M12

904801

904428


904430

904904




DET 34

904800



DET 35




M12x110

DET 36

DET A Ø24/13 (980154) M12x30 (903149) M12 (909644) 80Nm (M12) M10 (900965) 45Nm (M10) M10x25 (909639) Ø20/10.5 (909638) 905991 1 pcs	M12x30 2 pcs Ø24/13 4 pcs M12 2 pcs M10x25 2 pcs Ø20/10.5 4 pcs M10 2 pcs 905991 1 pcs
DET A 999561 GLUE Ø24/13 (980154) 905115 12x35 (909347) 905090	M12x35 6 pcs Ø24/13 6 pcs Ø45 6 pcs Ø30 6 pcs GLUE
DET B Ø24/13 (980154) M12x30 (903149) M12 (909644) 80Nm M10 (900965) 45Nm M10x25 (909639) Ø20/10.5 (909638)	M12x30 2 pcs Ø24/13 4 pcs M12 2 pcs M10x25 2 pcs Ø20/10.5 4 pcs M10 2 pcs


DET B




M12x35 6 pcs



Ø24/13 6 pcs



Ø45 6 pcs





Ø30 6 pcs





GLUE

DET B









904317

DET C



904904

DET D  90Nm M12x110 (906499) Ø24/13 (980154) 901958 M8x35 Ø24/13 (980154) M12 (902234) M8 CUT EXTRA CHAIN	 M12x110 2 pcs Ø24/13 4 pcs M12 2 pcs 901958 1 pcs
DET D  903577	 903577 1 pcs
DET E  6x60 980131	 980131 4 pcs 905138 1 pcs 905196 1 pcs