


DJ-Post User Manual




DJP90008_25082020








Overview Product 3



Control the Volume 4




Install and Manage a Time Lock 5



Install the Product
 Install the product according to the Playnetic Installation Manual. During the installation, make sure that the potential users can not be exposed to hazards / dangerous situations. Check the stability of the product.




Number of Users
 Playnetic recommends you to use the product with a maximum of one user at a time.



Pick-up pad
 place phone here


Hand wheel
 turn for energy

Speaker




Service hatch

Overview Product
 The overview above shows where all important parts can be found.






Check Interactive Elements
 Use the product and generate energy. If applicable, check that the interactive elements such as the music, lights, smell, electronic- and mechanical parts are working properly.



Control the Volume


1. Remove the bolts with the supplied hex key.
2. Remove the service hatch with the label.
3. Generate energy with the product.
4. Adjust the volume.
5. Close the service hatch.



Play and Test

1. Place your phone with music playing on the pick up pad.
2. Spin the wheel to generate energy.
3. Is the music being amplified by the DJ-Post?

*Are the tests incorrect? Change positions of your phone, remove the case. Still not working? Contact your local dealer.




Receive Time Lock

1. Receive a USB device. Playnetic has set the correct start- and endtime for you.





Install and Manage a Time lock

1. Remove the bolts with the supplied hex key.
2. Remove the service hatch.
- 3. Important! The time lock must be installed at 12 o'clock local time. If the installation is being done too late or too early, the time lock will not work properly.**
4. Put the USB stick into the computer.
5. Generate energy. Wait until the update is completed. Remove the USB stick after completion.
6. Make sure that you put the dust cover back over the USB port.
7. Close the service hatch.



Update Your Timelock 2x a Year

For updating your timelock, use the USB device which you received from Playnetic with the correct start- and endtime (same USB device for install option). Repeat step 1 to 7 from 'install a timelock' to complete the update.



Maintenance

The product must be maintained according to the Playnetic Maintenance Advice.

