




Install the product


Install the product according to the Playnetic Installation Manual. During the installation, make sure that the potential users can not be exposed to hazards / dangerous situations. Check the stability of the product.



Number of users

Playnetic recommends you to use the product with a maximum of eight users (maximum of 500 kg).





Overview product

The overview above shows where all important parts can be found.



Check interactive elements


Use the product and generate energy. If applicable, check that the interactive elements such as the music, lights, smell, electronic- and mechanical parts are working properly.







Control the volume

- 1. Remove the bolts with the supplied hex key.
- 2. Remove the service hatch with the label.
- 3. Generate energy with the product.
- 4. Adjust the volume.
- 5. Close the service hatch.










Play and test

- Generate energy with the product.
 Test if the correct MP3 files are played.
- 3. Test if the LED line runs in the correct direction.
- 4. Test if the MP3 file and LED color change by pushing the button.











Change the content

- 1. Get a USB stick. Make sure that you meet the following requirements: a. Only use MP3-files.
- b. The name of the MP3 file needs to have at least 5 characters.
- c. The name of the MP3 file can't contain any strange characters.
- d. A single MP3 file can not be bigger than 2 MB.
- 2. Use the supplied hex key and unscrew the bolts.
- 3. Remove the service hatch.





Sound A

Geluid met MP3-indeling 1,46 MB



Sound_B

Geluid met MP3-indeling 1,79 MB



Sound_C

Geluid met MP3-indeling 1,18 MB



Sound_D


Geluid met MP3-indeling 1,18 MB




Sound E

Geluid met MP3-indeling










- **Change the content**4. Put the USB stick into the computer.
- 5. Generate energy with the product. Wait until the update is completed. Remove the USB stick after completion.

 6. Make sure that you put the dust cover back over the USB port.
- 7. Close the service hatch.







Receive timelock

1. Receive a USB device. Playnetic has set the correct start- and endtime for you.




Install and manage a timelock


- 1. Remove the bolts with the supplied hex key.
- 2. Remove the service hatch.
- 3. Important! The timelock must be installed at 12 o'clock local time. If the install is being done too late or too early, the time lock will not work properly.
- 4. Put the USB stick into the computer.
- 5. Generate energy. Wait until the update is completed. Remove the USB stick after completion.
- 6. Make sure that you put the dust cover back over the USB port.
- 7. Close the service hatch.



Update your timelock 2x a year

For updating your timelock, use the USB device you received from Playnetic with the correct start- and endtime (same USB device for install option). Repeat step 1 to 7 in 'install a timelock' to complete the update.





Maintenance

The product must be maintained according to the Playnetic Maintenance Advice.



